幕 別 町 忠 類 農 作 物 生 育 状 況 定 期 調 査 結 果

## 他 名 生 有 服 要 生 有 所 要 生 有 所 要 生 有 所 要 生 有 所 要 生 有 所 要 生 有 所 要 生 有 所 要 生 有 所 要 生 有 所 要 生 有 所 要 生 有 所 要 生 有 所 要 生 有 所 要 生 有 所 要 生 有 所 要 生 有 所 要 日 内 下 日 数	展げ来王自小仏 (1411年 0万10日元年) サーカー サーカー サーカー サーカー サーカー サーカー サーカー サー													E 15 11 11 11 11 11 11 11 11 11 11 11 11	
作物名 ・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・	1	生育物									農作業状況				地区の概要
株主か皮 株主か皮 株主が皮 株主 株主 株主 株主 株主 株主 株主 株	作物名		生	育 概	亜	Ĺ									_ ' ' ' ' ' ' ' '
秋きさ小夫 (きたはなか)						1		/1 H	良 否	日 数	項目	月日	日数		1
(きたほなみ)		葉 数	茎 数	草丈(稈長)	穂 長	1穂粒数	出穂期	'		<u> </u>		· ——			
(きたほなみ) () (1,032) (84.5) () () () () (6/7)	D					' _	Į.	(6/4)	やや不良	-5	[]	()	j		
() (1,032) (284.5) (3) () () () () () () () () () ()	(きたほなみ)		934	75. 9	·	' i	出穂揃			'	t j	1	1	ļ ,	亦さび病: 0 %
整数 2 2 2 2 2 2 2 2 2	1	() (1,032)	(84.5)	()	'()ı		(6/7)		'	t l	()	1	ļ ,	
馬鈴しよ (きたひめ) 2.4 5.1 (2.0) (8.2) () () () () 着 歯別 (6/1) 柚付終 (5/15) 100% (5/6) 100% (5	1	茎 数	, ,		上芋1個重	ライマン価	萌芽期	, , ,		1	植付期	5/6	T i	Ī	※R5年から調査、平年値は前年の数字
(きたひめ) (2.4 (2.0) (8.2) (3.2) (3.2) (3.2) (4.2) (4.2) (5.1) (5.30) (5.5) (4.2) (4.28) (5.15 (4.28) (4.	馬鈴しょ			1	·	· · ·	1	(6/1)	- 1	' - 1	t []	(4/27)	1	ļ ,	1
展鈴しよ 馬鈴しよ (コナビメ) 変数 茎 良 上芋数/株 上芋1個重 ライマン価 (5/30) 萌芽期 (5/30) (4/28) 7 核付線 (5/30) 7 核付線 (5/30) 7 (4/28) 7 (5/31) 7 (5/31) 7 (5/31) 8 (5/24) -1 (5/23) 日井中の良否: 良(5)(5段階) 100% <th< td=""><td></td><td>2.4</td><td>5. 1</td><td>1 1</td><td>1</td><td>' I</td><td>着蕾期</td><td>1 ′</td><td></td><td>'</td><td>植付終</td><td></td><td> 1</td><td>100%</td><td></td></th<>		2.4	5. 1	1 1	1	' I	着蕾期	1 ′		'	植付終		1	100%	
整数 茎 数 茎 段 上字数/株 上字1側重 ライマン価 萌芽期 6/4 (5/30) 並 一1 植付邦 (5/5 (4/28)				$\mathbf{I}()$	()	'()ı		()		'	[]		1	100/0	
馬鈴しよ (コナヒメ) 2.1 10.7 (2.5) (13.3) () () () () () () (6/21)	,	, , ,		上芋数/株	上芋1個重	<u>ライマン価</u>	苗芽期	6/4	+		植付期	, , ,	-7	 	病害虫
(コナビメ) 2.1 10.7 (コナビメ) 2.1 10.7 (コナビメ) 2.1 10.7 (ロナビメ) 2.1 10.7 (ロナビス) 2.5 (ロ	馬鈴しょ			1 220 11			771/77 791	'	並	-1	1001 3 793		. i	ļ ,	
(2.5) (13.3) () () () () () (6/21) (5/7) (14種類 5/24 1) (5/23) (5/25		2. 1	10. 7	1 1	1	' I	着產期]		' <u>*</u>	植什終		-3	100%	
株数 業数 主場 一美内粒数 出芽始 6/7 は種期 5/24 -1 出芽の良否:良(5)(5段階) (きたろまん) 0.4 2.3 (0.4 2.3 (0.4 2.3 (0.4 2.3 (0.4 (0.5/23) (0.4 (0.5/23) (0.4 (0.5/23) (0.4 (0.5/23) (0.4 (0.5/23) (0.4 (0.5/23) (0.4 (0.5/25) (0.4 (0.5/25) (0.4 (0.5/25) (0.4 (0.5/25) (0.5/24) (0.5/25) (0.5/24) (0.5/22) (0.5/24) (0.5/24) (0.5/24) (0.5/24) (0.5/24) (0.5/25) (0.5/25) (0.5/25) (0.5/25) (0.5/25) (0.5/25)				16 7	'()	۱()۱	구 비가기	(6/21)		' l	11年11年	· ·		100/0	
小豆 (きたろまん) 0.4 2.3	<u> </u>	, , ,		着蒸粉	主茎飾数		土井	. , ,	+	Ч——	け種期	, , ,	-1	 	出芽の良否: 良(5)(5段階)
(きたろまん) 0.4 2.3 (0.4 a) ((2.9 a) (2.9 b) (2.9 a)	小豆	//>	<u> </u>			ノマニ 4744 30	山才炉	-/ -	並	+0	1公1年791	· ·	1	ĺ,	
(0.4) (2.9) () () () () () (6/3) (5/25) (5/		0.4	93	Į l	·	' I	出華期		41.		 // 無級		-3	100%	
大豆(とよみづき) 第数 室 長 着英数 主茎節数 一英内粒数 出芽始 (5/29) 出芽始 (5/29) 並 生0 は種期 (5/20 (5/21)) は種期 (5/21) 出芽の良否: 良(5) (5段階) アプラムシ: 0頭/25株 (とよみづき) 1.0 10.2 (0.9) (6.8) (0.9) (6.8) (0.9) (6.8) (0.9) (0.9) (0.9) (6.8) (0.9) (0.9) (6.8) (0.9) (0.9) (6.8) (0.9) (0.9) (6.8) (0.9) (0.9) (6.8) (0.9) (0.9) (6.8) (0.9) (0.9) (6.8) (0.9) (0.9) <t< td=""><td>(0,0.75,0)</td><td></td><td></td><td>ار يا</td><td>' .</td><td>۱ ۱</td><td>四才粉</td><td>'</td><td></td><td>'</td><td>「み7里がご</td><td>,</td><td> " </td><td>100/0</td><td></td></t<>	(0,0.75,0)			ار يا	' .	۱ ۱	四才粉	'		'	「み7里がご	,	"	100/0	
大豆 (とよみづき) 1.0 10.2 (0.9) (6.8) (0.9) (, , ,			主		山 井 47	, , ,	+	Ч——	け種邯		+1	 	出芽の良否・ 良 (5) (5 段階)
(とよみづき) 1.0 10.2 出芽期 5/31 (5/30) は種終 5/28 (5/24) -4 100% 葉数草 丈 根 周 10a収量 糖度 出芽期 5/31 (5/30) は種期 4/30 (5/24) -5 出芽の良否:良(5)(5段階) でんさい (カーペ2K314) (直播) 10.9 (12.0)(21.8)()()()()()()()()()()()()(大百	木 外	工 八	7E 27C 30X	一工工品級	シベトコヤ生女人	山才炉));	+0	「み7里が]	· ·	'1		
(0.9		1.0	10.9	1 1	1	' I	H##		<u>11/.</u>		1.4.4.6.4		1		
葉数草文根周 10a収量糖度 出芽期 5/15 (5/11) 並 -2 (4/25) (4/25) (4/25) (4/25) (4/25) (4/28) でんさい (カーペ2K314) (直播) (12.0) (21.8) (12.0) (21.8) (12.0) (21.8) (12.0) (21.8) (12.0) (21.8) (12.0) (21.8) (12.0) (21.8) (12.0) (21.8) (12.0) (21.8) (12.0) (21.8) (12.0) (21.8) (12.0) (21.8) (12.0) (21.8) (12.0) (21.8) (12.0) (21.8) (12.0) (21.8) (12.0) (21.8) (12.0)	(こよかりさ)			T 1		ار با	山才朔			'	(よ1里が	· ·	-4	100%	
てんさい (カーベ2K314) 10.9 16.3 (12.0) (21.8) () () () () () () () () ()	45:	, , ,	,	图 10	()	<u>(</u>	H##		+	'	/斗锤曲	, , ,	+	 	 出芽の良不・白 (5) (5 円成)
(カーベ2K314) (直播) 10.9 (16.3 (12.0) (21.8) (10.9) (21.8) (10.9) (10		:	入 恨	; /=j 10a	以里 槽	戊	山才期	· · · · · · · · · · · · · · · · · · ·	₩:	[(よ作品)	,	-5	ļ ,	四オツ以白・以(3)(3 以階)
(直播) (12.0) (21.8) (10.0	10.0	1 1	1	' I	Į.	(5/11)	亚	-2	14.54.64] , i	1000/	
出業数 草丈 程長 出芽期 5/28 サイレージ用とうもろこし (露地) 5.7 27.3 (5/22) 並 -1 は種期 5/19 (5/12) -7 出芽の良否:良(5)(5段階) 牧草 草丈 出穂始 6/9 (6/8) 世代表別 1番草収穫始 6/10 (6/10) 各損状況:並(3)(5段階) 財産財 1番草収穫期 15%				1,	', .	ا را	Į.	[, .		'	は種終		-4	100%	
サイレージ用 とうもろこし 5.7 27.3 27.3 (露地) (5.9) (25.9) () () () () () () () () ()	(旦播)			()	()	()	111-++- ++-	()	+	').1.125.41H		+	<u></u>	山井の白不・宀 / 5 〉 / 5 6円の炒り
とうもろこし (露地) 5.7 (27.3	11. 2		早 丈	样 長	1	' 	出芽期		,,	' <u> </u>	は種期	· ·	-7	ĺ,	四牙四艮台:艮(5)(5 段階)
(露地) (5.9) (25.9) (0) (0) (0) (0) (0) (0) (0) (1 1	1	' I	Į.	(5/22)	並	-1	1		[] i	ļ	
草 丈 出穂始 6/9 (6/8) 並 +1 1番草収穫始 6/10 (6/10) 冬損状況:並(3)(5段階) 97.2 出穂期 6/12 十1 番草収穫期 1番草収穫期 15%				ı, l	1	' , l	Į.			'	は種終	· ·	±0	100%	
牧草 97.2 出穂期 (6/8) 並 +1 (6/10) 1番草収穫期 15%	(露地)		25.9)	()	()	' <u>() </u>		()		'1			1	L	
97.2 出穂期 6/12 出穂期 1番草収穫期 15%	I	草丈			1	`	出穂始	'		' <u></u>	1番草収穫始	,			冬損状況:並(3)(5段階)
	牧草					<u> </u>	Į.	, , ,	並	+1	t l	(6/10)	1	ļ ,	
[(96.2)]()]()]()]()]()]()]()]()][(6/13)][][](6/23)[][](6/23)[][][](10.25)			ļ	1	'	' i	出穂期			'	1番草収穫期	1	1	15%	
		(96.2) ()	()	()	<u>(</u>)	<u> </u>	(6/13)		'	<u> </u>	(6/23)	<u></u> 1	<u> </u>	

※()内数字は平年値を表す。